



OTOL PERK

EUR DIESEL

Denso Tip CR Enjektör Şimleri



Denso Type CR Injector Shims

Perk  
Diesel

OTOL PERK

[www.eurodiesel.com](http://www.eurodiesel.com)

## DENSO



From **1,75** to **2,30**

Other sizes available upon request


Code PERK	Dimentions	Increase	QTY
A1-23340	1,75 to 2,30	0,05	120



handbox 12 position

dia	code PERK
1,75	A1-23340/175
1,80	A1-23340/180
1,85	A1-23340/185
1,90	A1-23340/190
1,95	A1-23340/195
2,00	A1-23340/200
2,05	A1-23340/205
2,10	A1-23340/210
2,15	A1-23340/215
2,20	A1-23340/220
2,25	A1-23340/225
2,30	A1-23340/230

## DENSO



da 2,99... a 3,15

Other sizes available upon request

根据要求提供其它尺寸

Code PERK	Dimintions	Increase	QTY
A1-23 341	2,99 to 3,10	0,01	120



handbox 24 position


Code PERK	Dimintions	Increase	QTY
A1-23418	2,99 to 3,15	0,01	170



handbox 24 position

code individual thicknesses	
dia	code PERK
2,99	A1-23341/299
3,00	A1-23341/300
3,01	A1-23341/301
3,02	A1-23341/302
3,03	A1-23341/303
3,04	A1-23341/304
3,05	A1-23341/305
3,06	A1-23341/306
3,07	A1-23341/307
3,08	A1-23341/308
3,09	A1-23341/309
3,10	A1-23341/310
3,11	A1-23341/311
3,12	A1-23341/312
3,13	A1-23341/313
3,14	A1-23341/314
3,15	A1-23341/315


## DENSO



**From 1,20 to 1,75**

Other sizes available upon request

www.eurodiesel.com



code individual thicknesses	
dia	code PERK
1,20	A1-23343/120
1,21	A1-23343/121
1,22	A1-23343/122
1,23	A1-23343/123
1,24	A1-23343/124
1,25	A1-23343/125
1,26	A1-23343/126
1,27	A1-23343/127
1,28	A1-23343/128
1,29	A1-23343/129
1,30	A1-23343/130
1,31	A1-23343/131
1,32	A1-23343/132
1,33	A1-23343/133
1,34	A1-23343/134
1,35	A1-23343/135
1,36	A1-23343/136
1,37	A1-23343/137
1,38	A1-23343/138
1,39	A1-23343/139
1,40	A1-23343/140
1,41	A1-23343/141
1,42	A1-23343/142
1,43	A1-23343/143
1,44	A1-23343/144
1,45	A1-23343/145
1,46	A1-23343/146

dia	code PERK
1,47	A1-23343/147
1,48	A1-23343/148
1,49	A1-23343/149
1,50	A1-23343/150
1,51	A1-23343/151
1,52	A1-23343/152
1,53	A1-23343/153
1,54	A1-23343/154
1,55	A1-23343/155
1,56	A11-23343/156
1,57	A1-23343/157
1,58	A1-23343/158
1,59	A1-23343/159
1,60	A1-23343/160
1,61	A1-23343/161
1,62	A1-23343/162
1,63	A1-23343/163
1,64	A1-23343/164
1,65	A1-23343/165
1,66	A1-23343/166
1,67	A1-23343/167
1,68	A1-23343/168
1,69	A1-23343/169
1,70	A1-23343/170
1,71	A1-23343/171
1,72	A1-23343/172
1,73	A1-23343/173
1,74	A1-23343/174

Code PERK	Dimentions	Increase	QTY
A1-23344	1,50 to 1,72	0,01	230



handbox 24 position

Code PERK	Dimentions	Increase	QTY
A1-23343	1,50 to 1,72	0,02	120





handbox 12 position



OTO PERK A.S 7419/12 Sokak No:22, 5. Site 35060 - Izmir / Turkiye


## DENSO



**From 1,20 to 1,74**

Other sizes available upon request

根据要求提供其它尺寸



code individual thicknesses		code individual thicknesses	
dia	cod. PERK	dia	cod. PERK
1,435	A1-23343/1435	1,57	A1-23343/157
1,44	A1-23343/144	1,575	A1-23343/1575
1,445	A1-23343/1445	1,58	A1-23343/158
1,45	A1-23343/145	1,585	A1-23343/1585
1,455	A1-23343/1455	1,59	A1-23343/159
1,46	A1-23343/146	1,595	A1-23343/1595
1,465	A1-23343/1465	1,60	A1-23343/160
1,47	A1-23343/147	1,605	A1-23343/1605
1,475	A1-23343/1475	1,61	A1-23343/161
1,48	A1-23343/148	1,615	A1-23343/1615
1,485	A1-23343/1485	1,62	A1-23343/162
1,49	A1-23343/149	1,625	A1-23343/1625
1,495	A1-23343/1495	1,63	A1-23343/163
1,50	A1-23343/150	1,635	A1-23343/1635
1,505	A1-23343/1505	1,64	A1-23343/164
1,51	A1-23343/151	1,645	A1-23343/1645
1,515	A1-23343/1515	1,65	A1-23343/165
1,52	A1-23343/152	1,655	A1-23343/1655
1,525	A1-23343/1525	1,66	A1-23343/166
1,53	A1-23343/153	1,665	A1-23343/1665
1,535	A1-23343/1535	1,67	A1-23343/167
1,54	A1-23343/154	1,675	A1-23343/1675
1,545	A1-23343/1545	1,68	A1-23343/168
1,55	A1-23343/155	1,685	A1-23343/1685
1,555	A1-23343/1555	1,69	A1-23343/169
1,56	A1-23-343/156	1,695	A1-23343/1695
1,565	A1-23343/1565	1,70	A1-23343/170

Code PERK	Dimentions	Increase	QTY
A1-23399	1,20 to 1,74	0,02	280



handbox 36 position

Code PERK	Dimentions	Increase	QTY
A1-23400	1,20 to 1,73	0,01	540



handbox 54 position

Code PERK	Dimentions	Increase	QTY
A1-23715	1,435 to 1,70	0,05	540





handbox 54 position

**DENSO**

www.eurodiesel.com

OTO PERK A.S 7419/12 Sokak No:22, 5. Site 35060 - Izmir / Turkiye



da 1,20... a 2,30

code individual thicknesses

misura	cod. PERK
1,84	A1-23746/184
1,86	A1-23746/186
1,88	A1-23746/188
1,90	A1-23746/190
1,92	A1-23746/192
1,94	A1-23746/194
1,96	A1-23746/196
1,98	A1-23746/198
2,00	A1-23746/200
2,02	A1-23746/202
2,04	A1-23746/204
2,06	A1-23746/206
2,08	A1-23746/208
2,10	A1-23746/210
2,12	A1-23746/212
2,14	A1-23746/214
2,16	A1-23746/216
2,18	A1-23746/218
2,20	A1-23746/220
2,22	A1-23746/222
2,24	A1-23746/224
2,26	A1-23746/226
2,28	A1-23746/228
2,30	A1-23746/230

Code PERK	Spessore	Incremento	n° pezzi
A1-23960	da 1,20 a 1,75	0,05	120



handbag 12 position

Code PERK	Spessore	Incremento	n° pezzi
A1-23746	da 1,84 a 2,30	0,02	240




handbag 24 position

Code PERK	Spessore	Incremento	n° pezzi
A1-23959	da 1,20 a 1,74	0,02	280



handnag 36 position

## DENSO



1,10... a 2,30

**ALTRE MISURE DISPONIBILI A RICHIESTA**  
**Other sizes available upon request**  
**Otros tamaños disponibles bajo petición**  
**Другие размеры доступны по запросу**

Code PERK	Spessore	Incremento	n° pezzi
A1-23395	da 1,10 a 1,65	0,05	120
A1-23753	da 1,75 a 2,30	0,05	120



handbag 12 position

Code PERK	Spessore	Incremento	n° pezzi
A1-23416	da 1,10 a 1,60	0,02	260
A1-23754	da 1,60 a 2,30	0,02	360




handbag 36 position

code individual thicknesses

misura	cod. PERK
1,10	A1-23395/110
1,12	A1-23395/112
1,14	A1-23395/114
1,15	A1-23395/115
1,16	A1-23395/116
1,18	A1-23395/118
1,20	A1-23395/120
1,22	A1-23395/122
1,24	A1-23395/124
1,25	A1-23395/125
1,26	A1-23395/126
1,28	A1-23395/128
1,30	A1-23395/130
1,32	A1-23395/132
1,34	A1-23395/134
1,35	A1-23395/135
1,36	A1-23395/136
1,38	A1-23395/138
1,40	A1-23395/140
1,42	A1-23395/142
1,44	A1-23395/144
1,45	A1-23395/145
1,46	A1-23395/146
1,48	A1-23395/148
1,50	A1-23395/150
1,52	A1-23395/152
1,54	A1-23395/154
1,55	A1-23395/155
1,56	A1-23395/156
1,58	A1-23395/158
1,60	A1-23395/160
1,65	A1-23395 /165

DENSO

www.eurodiesel.com



da 0,95.. a 1,50

**ALTRE MISURE DISPONIBILI A RICHIESTA**  
 Other sizes available upon request  
 Otros tamaños disponibles bajo petición

OTO PERK A.S.

OTO PERK A.S. 7419/12 Sokak No:22, 5. Site 35060 - Izmir / Turkiye



Code PERK	Spessore	Incremento n°	pe
A1-23843	da 0,95 a 1,50	0,05	120

handbag 12 position

code individual thicknesses			
misura	cod. PERK	misura	cod. PERK
0,95	A1-23843/095	1,25	A1-23843/125
1,00	A1-23843/100	1,30	A1-23843/130
1,05	A1-23843/105	1,35	A1-23843/135
1,10	A1-23843/110	1,40	A1-23843/140
1,15	A1-23843/115	1,45	A1-23843/145
1,20	A1-23843/120	1,50	A1-23843/150


Code PERK	Spessore	Incremento n°	pe
A1-23844	da 0,98 a 1,44	0,02	240

handbag 24 position

code individual thicknesses			
misura	cod. PERK	misura	cod. PERK
0,98	A1-23844/098	1,22	A1-23844/122
1,00	A1-23844/100	1,24	A1-23844/124
1,02	A1-23844/102	1,26	A1-23844/126
1,04	A1-23844/104	1,28	A1-23844/128
1,06	A1-23844/106	1,30	A1-23844/130
1,08	A1-23844/108	1,32	A1-23844/132
1,10	A1-23844/110	1,34	A1-23844/134
1,12	A1-23844/112	1,36	A1-23844/136
1,14	A1-23844/114	1,38	A1-23844/138
1,16	A1-23844/116	1,40	A1-23844/140
1,18	A1-23844/118	1,42	A1-23844/142
1,20	A1-23844/120	1,44	A1-23844/144



DENSO




da 1,00.. a 2,00

**ALTRE MISURE DISPONIBILI A RICHIESTA**

Other sizes available upon request  
Otros tamaños disponibles bajo petición

www.eurodiesel.com

Code PERK	Spessore	Incremento	n° pezzi
A1-23945	da 1,00 a 1,80	0,01	800



handbag 96 position

Code PERK	Spessore	Incremento	n° pezzi
A1-23946	da 1,00 a 1,70	0,02	360



handbag 36 position

Code PERK	Spessore	Incremento	n° pezzi
A1-23947	da 1,00 a 2,00	0,05	210




handbag 24 position

OTO PERK.A.S 7419/12 Sokak No:22, 5. Site 35060 - Izmir / Turkiye

## COMMON RAIL

## DENSO



da 1,20.. a 1,90


Other sizes available upon request

根据要求提供其它尺寸


www.eurodiesel.com

OTO PERK A.S 7419/12 Sokak No:22, 5. Site 35060 - Izmir / Turkiye

Code h-kM	Spessore	Incremento	n° pezzi	Code h-kM	Spessore	Incremento	n° pezzi
1-23948	da 1,20 a 1,90	0,02	360	1-23949	da 1,27 a 1,80	0,01	540




handbag 36 position



handbag 54 position

code individual thicknesses					
misura	cod. h-kM	misur	cod. h-kM	misur	cod. h-kM
1,20	1-23948/120	1,44	1-23948/144	1,68	1-23948/168
1,22	1-23948/122	1,46	1-23948/146	1,70	1-23948/170
1,24	1-23948/124	1,48	1-23948/148	1,72	1-23948/172
1,26	1-23948/126	1,50	1-23948/150	1,74	1-23948/174
1,28	1-23948/128	1,52	1-23948/152	1,76	1-23948/176
1,30	1-23948/130	1,54	1-23948/154	1,78	1-23948/178
1,32	1-23948/132	1,56	1-23948/156	1,80	1-23948/180
1,34	1-23948/134	1,58	1-23948/158	1,82	1-23948/182
1,36	1-23948/136	1,60	1-23948/160	1,84	1-23948/184
1,38	1-23948/138	1,62	1-23948/162	1,86	1-23948/186
1,40	1-23948/140	1,64	1-23948/164	1,88	1-23948/188
1,42	1-23948/142	1,66	1-23948/166	1,90	1-23948/190

## DENSO



**1,396.. a 1,716**

**ALTRE MISURE DISPONIBILI A RICHIESTA**

**Other sizes available upon request  
Otros tamaños disponibles bajo petición**

Code PERK	Spessore	Incremento	n° pezzi
A1-23950	da 1,396 a 1,716	0,004	810



handbag 96 position

code individual thicknesses			
misura	cod. PERK	misura	cod. PERK
1,396	A1-23950/1396	1,560	A1-23950/1560
1,40	A1-23950/1400	1,564	A1-23950/1564
1,404	A1-23950/1404	1,568	A1-23950/1568
1,408	A1-23950/1408	1,572	A1-23950/1572
1,412	A1-23950/1412	1,576	A1-23950/1576
1,416	A1-23950/1416	1,580	A1-23950/1580
1,420	A1-23950/1420	1,584	A1-23950/1584
1,424	A1-23950/1424	1,588	A1-23950/1588
1,428	A1-23950/1428	1,592	A1-23950/1592
1,432	A1-23950/1432	1,596	A1-23950/1596
1,436	A1-23950/1436	1,60	A1-23950/1600
1,440	A1-23950/1440	1,604	A1-23950/1604
1,444	A1-23950/1444	1,608	A1-23950/1608
1,448	A1-23950/1448	1,612	A1-23950/1612
1,452	A1-23950/1452	1,616	A1-23950/1616
1,456	A1-23950/1456	1,620	A1-23950/1620
1,460	A1-23950/1460	1,624	A1-23950/1624
1,464	A1-23950/1464	1,628	A1-23950/1628
1,468	A1-23950/1468	1,632	A1-23950/1632
1,472	A1-23950/1472	1,636	A1-23950/1636
1,476	A1-23950/1476	1,640	A1-23950/1640
1,480	A1-23950/1480	1,644	A1-23950/1644
1,484	A1-23950/1484	1,648	A1-23950/1648
1,488	A1-23950/1488	1,652	A1-23950/1652
1,492	A1-23950/1492	1,656	A1-23950/1656
1,496	A1-23950/1496	1,660	A1-23950/1660
1,50	A1-23950/1500	1,664	A1-23950/1664
1,504	A1-23950/1504	1,668	A1-23950/1668
1,508	A1-23950/1508	1,672	A1-23950/1672
1,512	A1-23950/1512	1,676	A1-23950/1676
1,516	A1-23950/1516	1,680	A1-23950/1680
1,520	A1-23950/1520	1,684	A1-23950/1684
1,524	A1-23950/1524	1,688	A1-23950/1688
1,528	A1-23950/1528	1,692	A1-23950/1692
1,532	A1-23950/1532	1,696	A1-23950/1696
1,536	A1-23950/1536	1,70	A1-23950/1700
1,540	A1-23950/1540	1,704	A1-23950/1704
1,544	A1-23950/1544	1,708	A1-23950/1708
1,548	A1-23950/1548	1,712	A1-23950/1712
1,552	A1-23950/1552	1,716	A1-23950/1716
1,556	A1-23950/1556		