



OTO PERK

EUR  **DIESEL**

VDO Tip Enjektör Şimleri

VDO – Siemens Type



Injector Shims

Perk
Diesel

OTO PERK

www.eurodiesel.com

SIEMENS



7,76 ... to 8,18

Code PERK	Dimintions	Increase	QTY
A1-23342	7,76 to 8,18	0,02	220



handbox 24 position



code individual thicknesses

dia	cod. PERK
7,76	A1-23342/776
7,78	A1-23342/778
7,80	A1-23342/780
7,82	A1-23342/782
7,84	A1-23342/784
7,86	A1-23342/786
7,88	A1-23342/788
7,90	A1-23342/790
7,92	A1-23342/792
7,94	A1-23342/794
7,96	A1-23342/796
7,98	A1-23342/798
8,00	A1-23342/800
8,02	A1-23342/802
8,04	A1-23342/804
8,06	A1-23342/806
8,08	A1-23342/808
8,10	A1-23342/810
8,12	A1-23342/812
8,14	A1-23342/814
8,16	A1-23342/816
8,18	A1-23342/818

SIEMENS

www.eurodiesel.com

OTO PERK A.S 7419/12 Sokak No:22, 5. Site 35060 - Izmir / Turkiye



From 1,20 to 1,90

Other sizes available upon request

code individual thicknesses

dia	cod. PERK
1,20	A1-23335/120
1,22	A1-23335/122
1,24	A1-23335/124
1,25	A1-23335/125
1,26	A1-23335/126
1,28	A1-23335/128
1,30	A1-23335/130
1,32	A1-23335/132
1,34	A1-23335/134
1,35	A1-23335/135
1,36	A1-23335/136
1,38	A1-23335/138
1,40	A1-23335/140
1,42	A1-23335/142
1,44	A1-23335/144
1,45	A1-23335/145
1,46	A1-23335/146
1,48	A1-23335/148
1,50	A1-23335/150
1,52	A1-23335/152
1,54	A1-23335/154
1,55	A1-23335/155
1,56	A1-23335/156
1,58	A1-23335/158
1,60	A1-23335/160
1,62	A1-23335/162
1,64	A1-23335/164
1,65	A1-23335/165
1,66	A1-23335/166
1,68	A1-23335/168
1,70	A1-23335/170
1,72	A1-23335/172
1,74	A1-23335/174
1,75	A1-23335/175
1,76	A1-23335/176
1,78	A1-23335/178
1,80	A1-23335/180
1,82	A1-23335/182
1,84	A1-23335/184
1,86	A1-23335/186
1,88	A1-23335/188
1,90	A1-23335/190

Code PERK	Dimintions	Increase	QTY
A1-23335	1,25 to 1,80	0,05	120



handbox 12 position

Code PERK	Dimintions	Increase	QTY
A1-23336	1,26 to 1,72	0,02	240





handbox 24 position

Code PERK	Dimintions	Increase	QTY
A1-23414	1,20 to 1,90	0,02	360



handbox 36 position

SIEMENS



0,80 ..to 1,20

Code PERK	Dimintions	Increase	QTY
A1-23262	0,80 to 1,20	0,02	210







handbox 24 position

code individual thicknesses

dia	cod. PERK
0,80	A1-23262/080
0,82	A1-23262/082
0,84	A1-23262/084
0,86	A1-23262/086
0,88	A1-23262/088
0,90	A1-23262/090
0,92	A1-23262/092
0,94	A1-23262/094
0,96	A1-23262/096
0,98	A1-23262/098
1,00	A1-23262/100
1,02	A1-23262/102
1,04	A1-23262/104
1,06	A1-23262/106
1,08	A1-23262/108
1,10	A1-23262/110
1,12	A1-23262/112
1,14	A1-23262/114
1,16	A1-23262/116
1,18	A1-23262/118
1,20	A1-23262/120

SIEMENS

www.eurodiesel.com



0,90 ...to 1,13

Other sizes available upon request

code individual thicknesses

dia	cod. PERK
0,90	A1-23337/090
0,91	A1-23337/091
0,92	A1-23337/092
0,93	A1-23337/093
0,94	A1-23337/094
0,95	A1-23337/095
0,96	A1-23337/096
0,97	A1-23337/097
0,98	A1-23337/098
0,99	A1-23337/099
1,00	A1-23337/100
1,01	A1-23337/101
1,02	A1-23337/102
1,03	A1-23337/103
1,04	A1-23337/104
1,05	A1-23337/105
1,06	A1-23337/106
1,07	A1-23337/107
1,08	A1-23337/108
1,09	A1-23337/109
1,10	A1-23337/110
1,11	A1-23337/111
1,12	A1-23337/112
1,13	A1-23337/113

Code PERK	Dimentions	Increase	QTY
A1-23337	0,90 to 1,13	0,01	240



handbox 24 position

OTO PERK A.S 7419/12 Sokak No:22, 5. Site 35060 - Izmir / Turkiye